PASSMARK
SOFTWARE

# Norton 360 v4
# Startup Manager

# Boot Time Performance Testing

# Windows XP, Windows Vista and Windows 7

| | |
|---|---|
| **Document:** | Norton 360 v4 Startup Manager and Boot Time Performance Testing Report |
| **Author:** | D. Wren, K. Lai |
| **Company:** | PassMark Software |
| **Date:** | 17 February 2010 |
| **Edition:** | Edition 1 |
| **File:** | n360v4_startupmanager2010_ed1.docx |

# TABLE OF CONTENTS

**TABLE OF CONTENTS** ..... 2
**REVISION HISTORY** ..... 3
**REFERENCES** ..... 3
**EXECUTIVE SUMMARY** ..... 4
**RESULTS SUMMARY** ..... 4
**WINDOWS 7** ..... 5
Test Results ..... 5
Improvement over Initial Time Taken to Boot ..... 5
**WINDOWS VISTA** ..... 6
Test Results ..... 6
Improvement over Initial Time Taken to Boot ..... 6
**WINDOWS XP** ..... 7
Test Results ..... 7
Improvement over Initial Time Taken to Boot ..... 7
**DISCLAIMER AND DISCLOSURE** ..... 8
Disclaimer of Liability ..... 8
Disclosure ..... 8
Trademarks ..... 8
**CONTACT DETAILS** ..... 8
Download Link ..... 8
**APPENDIX 1 – BOOT TIME METHODOLOGY** ..... 9
Boot Time – Windows Vista / Windows XP ..... 9
Boot Time – Windows 7 ..... 9
**APPENDIX 2 –OPTIMIZING WITH STARTUP MANAGER** ..... 9
**APPENDIX 3 – APPLICATION VERSIONS USED** ..... 10
**APPENDIX 4 – TEST ENVIRONMENTS** ..... 11
Windows 7 (64-bit) System ..... 11
Windows Vista (32-bit) System ..... 11
Windows XP (32-bit) System ..... 11

## REVISION HISTORY

| Revision | Revision History | Date |
|---|---|---|
| 1 | Initial version of the Norton 360 v4 Startup Manager and Boot Time Performance Testing Report. | 17 February 2010 |
| | | |

## REFERENCES

| Ref # | Document | Author | Date |
|---|---|---|---|
| | | | |

## EXECUTIVE SUMMARY

PassMark Software has conducted performance testing to investigate the impact of using Norton's 360 Startup Manager to optimize system boot time. The Startup Manager is a PC tune-up feature in Norton 360 v4 which shows the applications registered to automatically start when the user's system starts up and allows the user to manage them.

Testing was conducted on three Windows platforms (Windows XP, Windows Vista and Windows 7) on three different hardware configurations (see Appendix 4 – Test Environments).

In addition to installing Norton 360 v4, PassMark also installed twenty-four (24) common software tools and applications on each test platform prior to obtaining test results. These applications range from Instant Messaging Clients (e.g. AIM, Live Messenger) to Media Formats (e.g. RealMedia, QuickTime) and other common applications found on typical home user PCs (see Appendix 3 – Application Versions Used).

For each test platform, PassMark conducted an initial measurement of the average time taken for the system to boot without optimization, and then conducted a subsequent measurement of the average time taken to boot after optimization with the Startup Manager. The initial measurement was compared with the subsequent measurement to determine any improvements on a system's boot time resulting from Startup Manager's optimizations.

This report contains our results and findings for our boot time performance testing.

## RESULTS SUMMARY

Overall, all three test platforms showed a reduction in time taken to boot as a result of startup optimization using Norton 360's Startup Manager function. The amount of improvement varied for each platform.

The graph below shows the amount of improvement as a percentage over the initial time it took a machine to boot.



# WINDOWS 7

## Test Results

The Windows 7 test machine took **66.4** seconds to boot before optimization, on average[1]. After optimization with Norton 360's Startup Manager, the machine took **39.4** seconds to boot, on average[1].




## Improvement over Initial Time Taken to Boot

| Boot Time Improvement in Seconds | Boot Time Improvement as a Percentage |
|---|---|
| 27s Faster | 41% Faster |

[1] This average is taken from a set of five Boot Time measurements. Prior to taking all boot time measurements, the boot time process was first optimized using the boot time preparation command in *xbootmgr*. For more information, please refer to **Appendix 1 – Boot Time Methodology** on p9.

# WINDOWS VISTA

## Test Results

The Windows Vista machine took **54.6** seconds to boot before optimization, on average[2]. After optimization with Norton 360's Startup Manager, the machine took **37.3** seconds to boot, on average[2].




## Improvement over Initial Time Taken to Boot

| Boot Time Improvement in Seconds | Boot Time Improvement as a Percentage |
|---|---|
| 17s Faster | 32% Faster |

[2] This average is taken from a set of fifteen Boot Time measurements. Prior to taking all boot time measurements, the boot time process was first optimized using the Windows command *ProcessIdleTasks*. For more information, please refer to **Appendix 1 – Boot Time Methodology** on p9.

# WINDOWS XP

## Test Results

The Windows XP machine took **51.4** seconds to boot before optimization, on average[3]. After optimization with Norton 360's Startup Manager, the machine took **39.4** seconds to boot, on average[3].




## Improvement over Initial Time Taken to Boot

| Boot Time Improvement in Seconds | Boot Time Improvement as a Percentage |
|---|---|
| 12s Faster | 23% Faster |

[3] This average is taken from a set of fifteen Boot Time measurements. Prior to taking all boot time measurements, the boot time process was first optimized using the Windows command *ProcessIdleTasks*. For more information, please refer to **Appendix 1 – Boot Time Methodology** on p9.

# DISCLAIMER AND DISCLOSURE

## Disclaimer of Liability

While every effort has been made to ensure that the information presented in this report is accurate, PassMark Software Pty Ltd assumes no responsibility for errors, omissions, or out-of-date information and shall not be liable in any manner whatsoever for direct, indirect, incidental, consequential, or punitive damages resulting from the availability of, use of, access of, or inability to use this information.

## Disclosure

Symantec Corporation commissioned the production of this report and testing.

## Trademarks

All trademarks are the property of their respective owners.

# CONTACT DETAILS

**PassMark Software Pty Ltd**
Suite 202, Level 2
35 Buckingham St.
Surry Hills, 2010
Sydney, Australia

**Phone** + 61 2 9690 0444
**Fax** + 61 2 9690 0445
**Web** www.passmark.com

## Download Link

An electronic copy of this report can be found at the following location:
http://www.passmark.com/startup2010

# APPENDIX 1 – BOOT TIME METHODOLOGY

## Boot Time – Windows Vista / Windows XP

The PerfLog++ tool was used to capture Boot Times on Windows Vista platform.
The Vista machine is then rebooted in a cyclic manner, capturing the time it takes to boot the machine for fifteen reboots. To increase the reliability of boot time testing on Windows Vista, we performed three runs containing five reboots each, leaving a five minute wait time between each cycle. Our final result is the average of 15 boot time samples taken.

We have defined the start of the boot process to be the end of the BIOS initialization. Further, we have defined the end of the boot process to be when the CPU was idle for five continuous seconds.

Windows has various functions to optimize the boot process. For this metric, we have forced optimization of the system with the product installed with ProcessIdleTasks on five consecutive reboots.

For the duration of this test, we have removed the network cable to eliminate the possibility of network activity interfering with result.

## Boot Time – Windows 7

On the Windows 7 platform, PassMark Software has used tools available from the **Windows Performance Toolkit version 4.6** (as part of the Microsoft Windows 7 SDK obtainable from the Microsoft Website) with a view to obtain more precise and consistent boot time results on the Windows 7 platform.

The boot process was first optimized with xbootmgr.exe using the command "*xbootmgr.exe -trace boot –prepSystem*" which prepared the system for the testing over six optimization boots. The boot traces obtained from the optimization process are discarded.

After boot optimization, five boot time measurements are collected using the command "*xbootmgr.exe -trace boot -numruns 5*". This command boots the system five times in succession, taking detailed boot traces for each boot cycle.

**xperf.exe** is then used to parse the boot traces and obtain the BootTimeViaPostBoot value. This value reflects the amount of time it takes the system to complete all (and only) boot time processes. The final result is an average of five boot traces.

For the duration of this test, we have removed the network cable to eliminate the possibility of network activity interfering with result.

# APPENDIX 2 – OPTIMIZING WITH STARTUP MANAGER

The subsequent boot time measurement was taken after using the Startup Manager to disable all listed application startup processes.

# APPENDIX 3 – APPLICATION VERSIONS USED

Prior to boot time performance testing, the following products and versions were installed on each test platform:

| Application Name | Version |
|---|---|
| **Norton 360 v4** | 4.0.0.127 |
| **Adobe Air** | 1.5.3.9120 |
| **Adobe Flash Player** | 10.0.42.34 |
| **Adobe Reader** | 9.3.0 |
| **Adobe Shockwave Player** | 11.5.6.606 |
| **AOL Instant Messenger (AIM)** | 7.1.6.4 |
| **AIM Toolbar** | 5.96.9.1 |
| **Google Chrome** | 4.0.249.78 |
| **Google Desktop** | 5.9.0911.03589 |
| **Google Toolbar** | 6.4.1321.1732 |
| **iTunes** | 9.0.2 |
| **Mobile Me** | 2.6.0.29 |
| **LightScribe** | 1.18.10.2 |
| **LogMeInRescue** | 6.1.617 |
| **Microsoft Office Suite 2007** | 12.0.6504.500 |
| **Nero CD Burner (Trial version)** | 9.4.19.100 |
| **QuickTime** | 7.6.5 |
| **RealPlayer SP** | 1.0.5 |
| **RoboForm** | 6.9.98 |
| **SnapFish Picture Mover** | 3.4.1.15 |
| **Sun Java** | 6.18 |
| **Windows Live Messenger** | 14.0.8089.726 |
| **Windows Live Toolbar** | 14.0.8064.0206 |
| **Yahoo Messenger** | 10.0.0.1102-au |
| **Yahoo Toolbar** | 2.1 |

# APPENDIX 4 – TEST ENVIRONMENTS

The following environments were used for this Boot Time performance testing:

## Windows 7 (64-bit) System

| | |
|---|---|
| **CPU:** | Intel Core i7 920 Quad-Core @ 2.67GHz |
| **Motherboard:** | Intel x58 Motherboard |
| **RAM:** | 6GB DDR3 RAM |
| **HDD:** | Western Digital 500GB 7200RPM. |
| **O/S:** | Windows 7 Ultimate (x64) |

## Windows Vista (32-bit) System

| | |
|---|---|
| **Model:** | IBM/Lenovo A55 ThinkCentre Desktop |
| **CPU:** | Core2 Duo 6300 |
| **RAM:** | 1GB DDR2 |
| **HDD:** | 220GB |
| **O/S:** | Windows Vista Ultimate (32-bit) with Service Pack 2. |
| **Secondary SSD:** | Corsair CMFSSD-64D1 64GB SSD |

## Windows XP (32-bit) System

| | |
|---|---|
| **Model:** | Acer Aspire One Netbook |
| **CPU:** | Intel(R) Atom(TM) CPU N270 @ 1.60GHz |
| **RAM:** | 1GB 533MHz DDR2 SDRAM |
| **HDD:** | Corsair CMFSSD-64D1 64GB SSD |
| **Video Card:** | Integrated Graphics Media Accelerator 945 Express |
| **O/S:** | Windows XP Home (32-bit) with Service Pack 3 |